

	sterk afwijkend; ongevraagd faxen/bellen 8-17 uur	zeer sterk afwijkend; faxen/bellen HAP 17-8 uur
Hb [mmol/l]	<5	<4
leukocyten [$10^9/l$]	>25	>50
neutrofielen [$10^9/l$]	<1	<0,5
trombocyten [$10^9/l$]	<50	<20
blasten / nieuwe leukemie	indien aanwezig	in overleg met KC
ALAT [U/l]	>500	>1500
ASAT [U/l]	>500	>1500
amylase [U/l]	>300	>500
lipase [U/l]	>200	>200
CK [U/l]	>5000	>5000
bilirubine neonaat [umol/l]	altijd doorbellen	altijd doorbellen
ammoniak [umol/l]	man >60 vrouw>51	man >60 vrouw>51
calcium [mmol/l]	<1,80 >3,00	<1,70 >3,00
CRP [mg/l]	>200	>250
glucose nuchter [mmol/l]	<2 >20 <12 jaar: >10	<2 >20 <12 jaar: >10
glucose niet-nuchter [mmol/l]	<2 >25 <12 jaar: >15	<2 >25 <12 jaar: >15
kalium [mmol/l, serum]	<3,0 >6,0	<3,0 >6,0
kreatinine [umol/l]	<18 jaar: >200	<18 jaar: >200

	>18 jaar op basis van eGFR < 25	>18 jaar op basis van eGFR < 25
natrium [mmol/l]	<125 >155	<125 >155
troponine T [ng/l]	>14 faxen + bellen t/m 14 faxen	>14
cortisol [nmol/l]	<100	-
fT4 [pmol/l]	<8 >40	-
HbCO [%]	>10	>10
D-dimeer [ug/l]	>500 bellen + faxen t/m 500 faxen	>500
INR	>6	>6
amitriptyline [ug/l]	>200	>200
som ami + nortrip [ug/l]	>300	>400
nortriptyline [ug/l]	>150	>250
carbamazepine [mg/l]	>9	>12
som carba + epoxide [mg/l]	>12	>12
som clomi + desmethylclomi [ug/l]	>400	>600
clozapine [ug/l]	>700	>1000
digoxine [ug/l]	>2,0	>2,5
fenobarbital [mg/l]	>40	>50
fenytoine [mg/l]	>20	>20
imipramine [ug/l]	>250	>250
som imipramine + desipramine [ug/l]	>300	>500
lamotrigine [mg/l]	>15	>20
levetiracetam [mg/l]	>25	>45

lithium [mmol/l]	>1,0	>1,2
oxcarbazepine [mg/l]	>35	>50
valproïnezuur [mg/l]	>120	>150
theofylline [mg/l]	>15	>20
vancomycine intermitterend [mg/l]	<10 ; >20	-
vancomycine continu [mg/l]	<20 ; >25	-